


BROAN SPECIFICATION SHEET

41000 SERIES TWO-SPEED NON-DUCTED RANGE HOOD



Broan's most economical non-ducted hood with filtration of airborne cooking contaminants.

FEATURES

- Rocker-type fan and light switches
- Polymer blade and light lens (accepts up to 75W bulbs)
- Non-ducted filter - effective non-ducted filtration system removes smoke and odors
- Mitered sides and hemmed bottom for safety and good looks
- Contemporary styling in White, Almond, Black and Stainless Steel
- Available in 24", 30", 36", and 42" widths
- Special Order Size: 21"

TYPICAL SPECIFICATION
Range hood shall be Broan Model 41000.

Unit shall be non-ducted and have a non-ducted filter. Motor to be permanently lubricated. RPM not to exceed 2800.


Unit shall have a two-speed fan switch and separate light switch.

Sides shall be mitered and bottom edge hemmed - with no sharp edges.

Unit shall be U.L. listed.

SPECIFICATIONS

VOLTS	AMPS	RPM
120	2.0	2800



UL

Broan-NuTone LLC, 926 West State Street, Hartford, Wisconsin 53027 (1-800-637-1453)

REFERENCE	QTY.	REMARKS	Project
			Location
			Architect
			Engineer
			Contractor
			Submitted by
			Date

50H 99041055K

File Name: broan 41000 manual.pdf

Size: 2686 KB

Type: PDF, ePub, eBook

Category: Book

Uploaded: 18 May 2019, 21:40 PM

Rating: 4.6/5 from 829 votes.

Status: AVAILABLE

Last checked: 13 Minutes ago!

In order to read or download broan 41000 manual ebook, you need to create a FREE account.

[Download Now!](#)

eBook includes PDF, ePub and Kindle version

[Register a free 1 month Trial Account.](#)

[Download as many books as you like \(Personal use\)](#)

[Cancel the membership at any time if not satisfied.](#)

[Join Over 80000 Happy Readers](#)

Book Descriptions:

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with broan 41000 manual . To get started finding broan 41000 manual , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.



Book Descriptions:

broan 41000 manual

Hold times are long. Since 1912, we've learned to recognize the most common problems. Do any of these look familiar. Join Repair Clinics VIP email list for 10% off, plus other discounts and tips. We've got millions of parts, hundreds of brands, and thousands of step-by-step videos— everything you need to find it, fix it and finish the job right. Actual delivery times will vary based on your location. If you are ordering multiple items and not all items qualify for Quick Ship, the order will ship when all items are available to ship. Quick Ship may not apply to multiple quantities of the same product. Please refer to product details and specifications when making a final selection for purchase. Broan's most economical duct-free hood with the exclusive Microtek system for filtration of airborne cooling contaminants. Installs as nonducted only with charcoal filter. Accepts up to 75 watt light bulb sold separately. Actual delivery times will vary based on your location. If you are ordering multiple items and not all items qualify for Quick Ship, the order will ship when all items are available to ship. Quick Ship may not apply to multiple quantities of the same product. Our payment security system encrypts your information during transmission. We don't share your credit card details with third-party sellers, and we don't sell your information to others. Change at checkout. To hide it, choose Ship in Amazon packaging at checkout. Please try again. Please try again. Bulb Recommended Type A19 Show details Register a free business account Please try your search again later. A removable combination grease/charcoal filter for cleaner indoor exhaust recirculation, a fan designed for years of trouble-free service, a protective lamp lens that distributes light evenly over the cooktop and control switches for fan speed and light activation. Excessive moisture, smoke, and airborne particulate quickly infiltrates every room in a home. <http://mastervin.ru/files/cuisinart-automatic-bread-maker-cbk-100-manual.xml>

- **broan 41000 manual, broan 41000-l manual, broan 41000 range hood manual, broan 41000 manual, broan 41000 manual, broan 41000 manual download, broan 41000 manual instructions, broan 41000 manual transmission, broan 41000 manual parts, broan 41000 manual user, broan 41000 manual generator, broan 41000 manual diagram, broan 41000 manual software, broan 41000 manual, broan 41000 l manual.**

Broan has performance matched ventilation solutions for every cooking style and the type of appliance beneath it. Whether it's a focal point in a kitchen, or concealed in custom cabinetry, trust Broan to provide the optimal solution. Size 30 Inch. Pattern Name Range Hood This versatile insert is the perfect solution to your ventilation needs serving as both an exhaust fan and overhead light for your stove. The stainless steel unit is designed to fit neatly underneath your cabinets to provide quality airflow in your kitchen. It installs as a nonducted range hood with a charcoal filter that effectively removes smoke and odors from your cook space. The protective lamp lens distributes light evenly over the cooktop and accepts up to 75W bulb not included. Its designed with smooth surfaces that clean easily and quick-release filters that can go in the dishwasher. The sides are mitered and the bottom edge hemmed, with no sharp edges for safety and good looks. The unit has a two-speed fan switch and separate light switch and the motor is permanently lubricated. For your convenience, this range hood can work in an ADA-compliant application and includes a 1 year limited warranty. Enhance your home today with the Broan Ductless Range Hood Insert and Light! Installs as nonducted only with charcoal filter. Accepts up to 75 watt light bulb sold separately. Made of stainless steel. Size 30 Inch. Pattern Name Range Hood Amazon calculates a product's star ratings based on a machine learned model instead of a raw data average. The model takes into account factors including the age of a rating, whether the ratings are from verified purchasers, and factors

that establish reviewer trustworthiness. Please try again later. Cadrig 5.0 out of 5 stars I would have liked to have one that is vented to the outside but due to the kitchen design, it would have been expensive and would have resulted the project not being a do it yourself job. The installation was easy.<http://3ringmetals.com/files/cuisinart-automatic-bread-machine-manual.xml>

Any experienced doityourselfer should not have any issues with the installation. The shipping was super fast. As far as the performance, the fan does a great job of moving air and filtering it. It prevents the steam from escaping all over the kitchen and does a decent job of filtering out odors, however, not as well as a fan that is vented externally but that is to be expected. This is easy to replace on your own. Here are the steps I took

- 1 turn power off at breaker box, make sure you are certain power is off before proceeding.
- 2 unscrew little black screw holding metal cover that the light wires come out of to expose wires
- 3 on old unit, unscrew wiring nuts on white, black wires and loosen ground screw
- 4 loosen four screws under cabinet holding old vent in place, move old unit aside
- 5 on new unit use flathead screw driver to bend out wiring plug on the hole wiring will pass through just insert screw driver and rock back and forth until it pops loose. Look at the old unit to find which one to remove
- 6 hang unit by four screws in corner see my photo
- 7 hook wiring up just like your old one, white to white, black to black, etc.
8. Screw wiring cover in place with one black screw
- 9 install old light bulb I used the one from my old unit.
- 10 turn power on and test unit, both fan and light.
- 11 step back and marvel at how much money you saved by doing it yourself, and revel in the praise from your spouse or significant other. This might seem intimidating but it was easy. One didnt come with a light bulb so get one on hand. The filter mine came with seemed nicer than others, it had a metal front and blue filter material on the back. The fan isnt super strong but I bought this for looks mostly. Hopefully this review is helpful, I didnt get anything for writing it and paid for this product myself. Obviously made in the same factory because it is identical in every aspect. That made it super easy to swap it out in 15 minutes.

I was upgrading from white to stainless steel and this did the trick for matching our new oven. A lot of reviews mention the fan is noisy and the light cover is unattractive. This is not a highend hood for chefs it is your average range hood for middle class people who just want a basic range hood. Im 6 feet tall and I cant see my light bulb cover when I stand in front of it. If I were shorter, I would be able to see the plastic light bulb cover, but that wouldnt bother me. The fan sounds like a standard cheaper fan so it isnt really quiet, but that isnt important to me for a nice looking range hood at this price point. If you can hear the fan running, it means somebody is cooking. Thats a good thing! This is a great lazy, costconscious choice. We use it ductless. Relatively quiet. Almost wish the high setting were a little more powerful, but its good for pulling most of the steam and smoke up. Make sure its not much more than 24 inches above the stove. It doesnt come with a plug, so you either have to hardwire it thats where installation could get tricky, especially if you had to reroute wires, or get a pigtail plug like I did. A pigtail is a like an extension cord with a threepronged plug at one end and 3 wires at the other end to connect to the hood wires black, white, and ground. Then you can just plug it into an outlet instead of hardwiring which also means drilling a 1inch hole into the shelf youre going to attach the hood to so that the wire can come through. Four short screws hold it in place. The control panel comes out to 12 inches, flush with a standard 12inch deep cabinet. Cant say enough good things about this unit. You wont be disappointed! Bad instruction booklet. There is one very small hole at the back of the unit that you have to aim the electric wires through. Impossible to do without another person. In addition, the instructions are written for contractors not regular people.

<https://www.becompta.be/emploi/bosch-psb-700-2re-manual>

Considering there are a few electric wires you have to connect, you would think that they would give very clear instructions on that. I had to buy this as a replacement for a white Broan hood. An over the stove hood is something that gets cleaned every day and the white paint on the Broan wore off

quickly. In my efforts to save the paint, I bought a grease cutting cleanser which basically acted as paint remover. Wiring was straight forward and my only complaint is that it was slightly bent during shipping causing the unit to be out of square. I was able to fix this myself so I did not contact the seller about it. This looks great in my newly remodeled kitchen. Asides from the price, this is an excellent scent that the ladies love. Sorry, we failed to record your vote. Please try again. Sorry, we failed to record your vote. Please try again. But at least the product need to be as equally good as Chinese products. The design and quality could be much more improved, with this price. Sorry, we failed to record your vote. Please try again. Was easy install, was nice and undented. Now im waiting on the electric plugs wich comes 2 weeks later. Im sure i couldve bought them in a local appliance store nearby but im in no rush. Overall good product in my opinion. Sorry, we failed to record your vote. Please try again. Didnt want to cut the new cupboard to install the duct. The cover over the light bulb could have covered the bulb more. Over all works well. Sorry, we failed to record your vote. Please try again. Looks good. Sorry, we failed to record your vote. Please try again. Sorry, we failed to record your vote. Please try again. Perfect for apartment kitchens. Sorry, we failed to record your vote. Please try again. Good bang for your buck. Sorry, we failed to record your vote. Please try again. Ne recommande pas. Sorry, we failed to record your vote. Please try again. Great product for the price! Sorry, we failed to record your vote. Please try again. Sorry, we failed to record your vote.

<http://curabona.com/images/como-fazer-um-manual-de-boas-pr-ticas.pdf>

Please try again. Sorry, we failed to record your vote. Please try again. Sorry, we failed to record your vote. Please try again. Less expensive than in any stores. Good value. Sorry, we failed to record your vote. Please try again. In order to navigate out of this carousel please use your heading shortcut key to navigate to the next or previous heading. See Details. These range hoods are 160 CFM and have a 6.5 sone rating. The mitered sides and hemmed bottom ensure safety and clearance of the cabinet door. Keyhole mounting slots make the range hood easier to install. The range hoods are available in White, Almond, Biscuit or Brushed Stainless Steel to match any kitchen. Pros: sleeker, a bit higher, and the edges nip in so it doesnt stick out as far. The fit in the space was perfect. It has a nice look to it. Was easy to install. Cons: the fan is on the loud side, and the lightbulb happens to be installed so the bulk of the light is pointing the wrong way from our main burner. Otherwise we are happy with it so far. Looks very modern and I am very happy with the purchase. It had what I needed, two fan speeds and light. It is fairly quiet. I had to wall mount it and it was necessary to purchase brackets seperately which were more than I expected to pay. A cord conversion kit that I also needed was also pricey. My order arrived fast and was exactly as advertised. It was very easy to install and looks awesome. It installed quickly and easily in the same mounting screws as the previous hood. It is quiet and efficient and a very good deal for the price. My hood was small and none of the HOME stores carried anything close. I found your site and was so happy to see the exact model replacement in stainless. The price was reasonable and delivery was fairly quick. It fit perfectly and was not difficult to install. Thank you so much!! We checked all the local home impr. Just white and bisque. Thank you, Thank you, Thank you!

<http://huounaixunghe.com/images/como-funciona-una-bomba-de-agua-manual.pdf>

I wanted a simple range hood that provided sufficient light, a fan that wasnt too loud, and it had to look good. And I didnt want to spend a fortune, as some of the others are outrageously priced. Installation was easy enough. I highly recommend this product and kitchenSource.com. The dimensions are the same so it fits perfectly underneath the cabinet, and again, it looks great because of the stainless steel finish. The fan is ok considering I dont have ductwork. Was this useful to you. KitchenSource Coupons. We are ready to become your onSource solution. Call 18003453000 or email us to set your web login up for your existing account. Download our credit application to apply. Our digital help center is here to help you navigate Home Depot Pros onSource solutions and get the job done right. Please Log In to use this helpful feature. Ductless Under Cabinet Range Hood

with Light in White Ductless Under Cabinet Range Hood with Light in White This list updates each time you open it based on the criteria selected. The motor is permanently lubricated and designed for years of troublefree service. Separate rocker switches control the light and 2speed fan light. Nonvented design for use without air ducts 2speed rocker fan switch and separate rocker light switch 2 fan speeds allow you to adjust the blowing speed to fit your needs Included charcoal filter is replaceable for easy maintenance Overhead light illuminates the stovetop 75Watt bulb not included Mitered sides and hemmed bottom for good looks and your safety Limited 1year warranty This list updates each time you open it based on the criteria selected. This list updates each time you open it based on the criteria selected. Please call us. As the leader in residential ventilation, we will confidently meet your needs. It enhances your home's environment by improving indoor air quality and reducing noise while providing exceptionally clean carpets and other surfaces.

Now cleaning can be accomplished while the baby is sleeping or the family is enjoying their favorite television show. We are continually seeking ways to provide the best quality, technology, style and care to our customers. In winter, ice dams can result from poor ventilation, and moist air in the home can condense on attic surfaces causing mildew, rotting wood and wet insulation. BROAN has the solution! Factory prestripped leads for easier installation, streamlined bimetallic sensing strip allowing for more finger room for the installer and quadrex mounting screws all lend themselves to fast and easy installation. The downside of this development is that it can also significantly increase levels of indoor pollution, since it results in decreased airflow. Agencies and organizations such as the EPA and the Home Ventilating Institute HVI have identified the kitchen as the key source of indoor air pollution for which they have established the range hood to be the most effective combatant. BROAN Range Hoods are designed to quickly capture pollution at the source and exhaust it outdoors rather than throughout the home. Additionally, BROAN Range Hoods work hard to protect the home's interior against the damaging effects of heat, humidity and airborne grease; saving time, labor and money. Because of over 80 years of dedication to excellence, BROAN has become the name that customers trust for residential kitchen ventilation solutions in North America. With nearly 50 different designs in various finishes and sizes, there is a model to meet every need and price point, from Europeanstyle chimney hoods to simple undercabinet hoods. Every model is HVI certified to guarantee our performance claims are accurate, so that our customers can breathe easy and choose with confidence. It requires powerful air moving systems to do the job.

www.sidertest.it/wp-content/plugins/formcraft/file-upload/server/content/files/16272cd96a84c8---bridge-detailing-manual-txdot.pdf

BROAN hoods offer a wide range of performance choices that all have two things in common; high pressure designs that deliver more air flow under all conditions, and certified HVI performance. No other brand compares to BROAN when it comes to both options and quality of design. That said, BROAN incorporates Quiet Features in every hood model, making them the quietest in their class, along with the option of an external blower that takes the noise outside. Additionally, multispeed control allows the user to adjust the level of operation. To ensure quiet operation, HVI certifies the sound level on each model. Some models operate so quietly at normal speed, the sound is practically inaudible. Most models can be installed in under 2 hours by the average doityourselfer. It starts with design and engineering that aims to simplify, and decrease the number of steps, so that most installations can be handled by one person. Smart design is followed by providing the right equipment along with the necessary high quality hardware, accessories and simple, yet precise instructions to ensure success. Additionally, BROAN has the best Technical Support staff in the industry, on hand to help you with any questions. BROAN, and BROAN Elite lines feature over 25 unique and assorted product styles to provide just the perfect one for your home. You will find everything from bold designs that allow the hood to be the focal point to modern designs that will work in harmony within your kitchen concept. BROAN even offers models that do their job without

being seen at all. From extension flues for chimney hoods to nonduct kits and filters allowing recirculation of the hood exhaust when venting outdoors is not possible, BROAN accessories are made to meet the special needs of special installations. Their breadth, established objectivity and proven history mean they are a symbol of trust and enables BROAN to help provide peace of mind to all.

Products are periodically checked by UL at a BROAN manufacturing facility to make sure they continue to meet UL requirements. Abt can never be beat in customer service. Delivery dates and product availability are based on your delivery area. Please try again. Exclusions apply. If you want NextDay, we can save the other items for later. Order by, and we can deliver your NextDay items by. You won't get NextDay delivery on this order because your cart contains items that aren't "NextDay eligible". In your cart, save the other items for later in order to get NextDay delivery. Oops! There was a problem with saving your items for later. You can go to cart and save for later there. See our disclaimer Features Rangehood Light Lens For Broan 41000 Models 99110437 Broan Oven Light Cover Replacement Range Light Lens 99110437 Replacement light lens made to fit many Broan range and oven models, including those listed below. This lens light cover is used for ranges, ovens, and stoves from the 34, 35, 36, 38, 38, 40, 41, 42, 44, 4546000 series. If your Broan range oven is not listed, use part numbers to determine if this light lens cover will fit your Broan stove, oven, or range. Replaces part numbers 99110437, X71071, BP43, S99110437, 99110437, E2099110437, AP3379470. Ask a question Ask a question If you would like to share feedback with us about pricing, delivery or other customer service issues, please contact customer service directly. So if you find a current lower price from an online retailer on an identical, instock product, tell us and well match it. See more details at Online Price Match. Related Pages Wax Warmers Heavy Blankets Bed Blankets Mink Blankets All Artificial Plants and Flowers Cheval Mirrors Plush Blankets Shop All Lighting Accessories All Rights Reserved. To ensure we are able to help you as best we can, please include your reference number Feedback Thank you for signing up. You will receive an email shortly at Here at Walmart.

com, we are committed to protecting your privacy. Your email address will never be sold or distributed to a third party for any reason. If you need immediate assistance, please contact Customer Care. Thank you Your feedback helps us make Walmart shopping better for millions of customers. OK Thank you! Your feedback helps us make Walmart shopping better for millions of customers. Sorry. We're having technical issues, but we'll be back in a flash. Done. Sign Up Now! Broans most economical ductfree hood with the exclusive Microtek system for filtration of airborne cooling contaminants. Installs as nonducted only with charcoal filter. Accepts up to 75 watt light bulb sold separately. Available at AppliancesConnection Headquartered in Hartford, Wisconsin, BroanNuTone employs over 2,500 people in eight countries on five continents. Other manufacturing, marketing and sales locations include Ohio, Texas, California, Canada, Italy, Chile, Australia, Poland, China and Mexico. Please make sure to follow all instructions. AppliancesConnection cannot be held responsible for rebates which are denied or not claimed. External Venting. INTENDED FOR DOMESTIC COOKING ONLY. ! WARNING TO REDUCE THE RISK OF FIRE, ELECTRIC SHOCK, OR INJURY TO PERSONS, OBSERVE THE FOLLOWING 1. Use this unit only in the manner intended by the manufacturer. If you have questions, contact the manufacturer at the address or telephone number listed in the warranty. 2. Before servicing or cleaning unit, switch power off at service panel and lock the service disconnecting means to prevent power from being switched on accidentally. When the service disconnecting means can not be locked, securely fasten a prominent warning device, such as a tag, to the service panel. 3. Installation work and electrical wiring must be done by a qualified persons in accordance with all applicable codes and standards, including fire-rated construction codes and standards. 4.

Sufficient air is needed for proper combustion and exhausting of gases through the flue chimney of

fuel burning equipment to prevent backdrafting. Follow the heating equipment manufacturer's guideline and safety standards such as those published by the National Fire Protection Association NFPA, and the American Society for Heating, Refrigeration and Air Conditioning Engineers ASHRAE, and the local code authorities. 5. When cutting or drilling into wall or ceiling, do not damage electrical wiring and other hidden utilities. 6. To reduce the risk of fire or electric shock, do not use this range hood with an additional speed control device. 7. Ducted fans must always be vented to the outdoors. 8. To reduce the risk of fire, use only metal ductwork. 9. Use with approved cord connection kit only. 10. This unit must be grounded. TO REDUCE THE RISK OF A RANGE TOP GREASE FIRE 1. Never leave surface units unattended at high settings. Boilovers cause smoking and greasy spillovers that may ignite. Heat oils slowly on low or medium settings. 2. Always turn hood ON when cooking at high heat or when cooking flaming foods. 3. Clean ventilating fans frequently. Grease should not be allowed to accumulate on fan or filter. 4. Use proper pan size. Always use cookware appropriate for the size of the surface element. Si tiene usted alguna pregunta, comuníquese con el fabricante a la dirección o el teléfono indicados en la garantía. 2. Antes de limpiar o de poner en servicio la unidad, apague el interruptor en el panel de servicio, y asegure el panel de servicio para evitar que se encienda accidentalmente. Cuando el dispositivo para desconectar el servicio eléctrico no puede ser cerrado con algún tipo de traba, sujete fuertemente al panel de servicio, una etiqueta de advertencia prominente. 3.

Todo trabajo de instalación y cableado eléctrico debe ser realizado por personal calificado y de acuerdo con todos los códigos y normas pertinentes, incluyendo los códigos y normas relacionados con construcción clasificada para incendio. 4. Aire suficiente es necesario para facilitar la combustión adecuada y la salida apropiada de gases por la chimenea de la unidad y para evitar corrientes de aire invertidas. Siga las instrucciones y medidas de seguridad del fabricante del equipo y de las sociedades profesionales de equipos de calentadores y los reglamentos de seguridad locales. 5. Al cortar o perforar la pared o el techo, no dañe el cableado eléctrico u otros servicios públicos ocultos a la vista. 6. Para reducir el riesgo de incendio o de descarga eléctrica, no utilice este ventilador con ningún dispositivo de control de velocidad de estado sólido adicional. 7. Los abanicos con ducto deberán siempre tener una salida hacia el exterior. 8. Para reducir el riesgo de incendio, use solo ductos de metal. 9. Uso con el kit aprobado de la conexión de la cuerda solamente. 10. Esta unidad se debe instalar con tierra efectiva. PARA REDUCIR EL RIESGO DE INCENDIO DEBIDO A GRASA ACUMULADA EN LAS HORNILLAS 1. Nunca deje sin atender las unidades de superficie cuando tengan ajustes altos. Los reboses pueden provocar humo y derrames grasos que se pueden incendiar. Caliente lentamente el aceite en un ajuste bajo o medio. 2. Siempre ENCIENDA la campana cuando cocine con alta temperatura o cuando cocine alimentos que se puedan incendiar. 3. Limpie con frecuencia los ventiladores. No debe permitir que la grasa se acumule en el ventilador ni en el filtro. 4. Utilice un sartén de tamaño adecuado. Siempre utilice el utensilio adecuado al tamaño del elemento de superficie. DUEÑO DE LA CASA Información acerca del uso y los cuidados en la página 5.

INSTRUCCIONES DE INSTALACION DE LOS EXTRACTORES TIPO ECONOMICO LEA Y CONSERVE ESTAS INSTRUCCIONES To register this product visit www.broan.com 1 2 3. 8 Summary of content 8 pages Page 1 INSTRUCCIONES DE INSTALACION DE LOS EXTRACTORES TIPO ECONOMICO ECONOMY RANGE HOOD INSTALLATION INSTRUCTIONS READ AND SAVE THESE INSTRUCTIONS. INTENDED FOR DOMESTIC COOKING ONLY. ! To register this product visit www.broan.com ! PREVISTO PARA COCINAR DOMESTICAMENTE. ! WARNING TO REDUCE THE RISK OF FIRE, ELECTRIC SHOCK, OR INJURY TO PERSONS, OBSERVE THE FOLLOWING 1. Use this unit only in the manner intended by the manufacturer. One straight blade and one Phillips head screwdriver. Caulking, metal snips, duct tape, duct with elbows and transition, if necessary and roof or wall cap, as required. Electrical wiring and Page 3 PREPARE THE HOOD 1. Unpack hood and check contents. Under cover find 1 Plastic Bag containing loose mounting hardware 3. Remove top

or rear electrical knockout. FIG. 2 4. Page 4 INSTALL THE DUCTWORK FIG. 5A This section for 40000 and 42000 hoods only. 41000 hoods skip this section and go on to "Install Range Hood". NOTE These instructions will follow plans made on Page 2. Start at the exterior and run ductwork back to the range hood. For best possible performance, use the shortest possible duct run and a minimum number of elbows. Do not vent a range hood into an attic space. A buildup of grease in the attic could become a fire hazard. Use only metal ductwork. Page 5 USE AND CARE SWITCHES The fan and light are each controlled by a rocker switch. The light switch has two positions, "ON" and "OFF". Aluminum filters are dishwasher safe. Page 6 FIG. 14 SCREWS TORNILLOS 21 Las piezas de recambio se pueden ahora pedir en nuestro Web site. Visitenos por favor en www.Broan.com Replacement parts can now be ordered on our website. Please visit us at www.Broan.com Las piezas de recambio se pueden ahora pedir en nuestro Web site.

MODELOS 42000 Y 42000D Replacement parts can now be ordered on our website. Please visit us at www.Broan.com Las piezas de recambio se pueden ahora pedir en nuestro Web site.

<http://www.raumboerse-luzern.ch/mieten/bosch-psb-700-2re-manual>