



**File Name:** canon eos 20d pdf manual.pdf

**Size:** 3047 KB

**Type:** PDF, ePub, eBook

**Category:** Book

**Uploaded:** 19 May 2019, 13:47 PM

**Rating:** 4.6/5 from 652 votes.

**Status:** AVAILABLE

Last checked: 14 Minutes ago!

**In order to read or download canon eos 20d pdf manual ebook, you need to create a FREE account.**

[\*\*Download Now!\*\*](#)

eBook includes PDF, ePub and Kindle version

[Register a free 1 month Trial Account.](#)

[Download as many books as you like \(Personal use\)](#)

[Cancel the membership at any time if not satisfied.](#)

[Join Over 80000 Happy Readers](#)

### Book Descriptions:

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with canon eos 20d pdf manual . To get started finding canon eos 20d pdf manual , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.



## Book Descriptions:

# canon eos 20d pdf manual

The camera has nine highprecision AF points and it is compatible with all Canon EF lenses including the EFS lens. Please purchase it separately. CF cards made by Canon are recommended. If the product does not work properly or requires repair, contact your dealer or your nearest Canon Service Center. If you accidentally drop the camera into water, promptly consult your nearest Canon Service Center. Wipe off any water droplets with a dry cloth. If the camera has been exposed to salty air, wipe with a wellwring wet cloth. Attaching the Strap Pass the end of the strap through the camera's strap mount from the bottom. Then pass it through the strap's buckle as shown in the illustration. Attach the battery. Battery Pack BP514, BP511, or BP512 can also be used. Checking the Battery Level When the switch is set to or p.26, the battery level will be indicated at one of three levels. Do not connect or disconnect the power cord while the camera's switch is set to. As shown by the arrow,. Never do the following while the access lamp is lit or blinking. Such actions may destroy the image data. You can also operate 1 when the switch is set to. Operating the. While looking at the LCD monitor, you use the button, button, and dial on the camera back to proceed to the next step. Each captured image is recorded with the date and time it was taken. Make sure you set the date and time correctly. Note that the image sensor is a very delicate component. If possible, you should have it cleaned by a Canon Service Center. While you clean the image sensor, the camera must be turned on. In each mode, the AF mode, drive mode, etc., are set automatically to suit the subject. Everything is automatic so it is easy to photograph any subject. With nine AF points to focus the subject, anyone can easily take nice pictures. In the or mode, if the shutter speed display blinks, be aware that camera shake may occur. This is for fastmoving subjects when you want to freeze the action. <http://www.kaplug.co.kr/Upload/breadman-tr-510-owner-s-manual.xml>

- **canon eos 20d user manual, canon eos 20d manual pdf, canon eos 20d instruction manual pdf, 1.0.**

You can use self timer in any Basic Zone mode or Creative Zone mode. Do not stand in front of the camera when you press the shutter button to start the selftimer. In the 1 mode, the captured image will require postprocessing with the software provided. The actual single image size, number of possible shots, and maximum burst will vary depending on the subject, shooting mode, ISO speed, parameters, etc. Burst During Continuous Shooting The maximum burst during continuous shooting depends on the image recording quality. The approx. maximum burst during continuous shooting is indicated below for each imagerecording quality. Note that with highspeed CF cards, the maximum burst may be higher than shown in the table below depending on the shooting conditions. A higher ISO speed number indicates a higher sensitivity to light. Therefore, a high ISO speed is suited for low light and moving subjects. However, the image may look more coarse with noise, etc. With a digital camera, the color temperature can be adjusted with software so that the colors in the image look more natural. The subject's white color is used as the criteria for adjusting the other colors. By selecting this image, you import its white balance data for the white balance setting. Partial metering Press the. Each color can be corrected to one of nine levels. This is called white balance bracketing. The processing parameters can be set according to the preset Parameter 1 or Parameter 2 or to Set 1, 2, or 3 that you can set yourself. You can register and save up to three sets of processing parameters. At the same time, the complementary colors will be darkened. Camera Setting Display Auto power off p.33 CF card remaining capacity Flash exposure compensation p.96 For details on the image info during playback, see "Shooting Information Display". Three AF modes are provided. OneShot AF is suited for still subjects, while AI Servo AF is for moving

subjects. <http://cresson-voyages.com/userfiles/breadman-tr-720-manual.xml>

And AI Focus AF switches from OneShot AF to AI Servo AF automatically if the still subject starts moving. If this occurs, a picture cannot be taken even if the shutter button is pressed fully. Recompose the picture and try and focus again. This is for obtaining correct focus at the moment of exposure. The AF point can be selected automatically by the camera or manually by you. In the modes, you can switch This is called "focus lock." Focus lock works only in the OneShot AF mode. If the AF mode is AI Servo AF or AI Focus AF set to Servo mode, focus lock will not work. In the Basic Zone modes, evaluative metering will be set automatically. When the internal memory becomes full during continuous shooting, "buSY". The camera automatically sets the shutter speed and aperture value to suit the subject's brightness. This is called ShutterPriority AE. A fast shutter speed can freeze the motion of a fastmoving subject and a slow shutter speed can blur the subject to give the impression of motion. Turn the dial to set a faster shutter speed until the aperture value stops blinking or lower the ISO speed. This is called aperturepriority AE. This method is called manual exposure. It is effective for group photos and landscapes. The camera uses the nine AF points to detect the nearest and farthest subjects to be in focus. You can make the image look lighter increased exposure or darker decreased exposure. This is called Auto Exposure Bracketing AEB. Standard exposure AEB amount Standard exposure Decreased exposure Increased exposure Decreased exposure. If the drive mode is set to single image u, you must press the shutter button three times. After locking the exposure, you can recompose the shot while maintaining the desired exposure setting. This is called AE lock. It is effective for backlit subjects. This is called bulb exposure. This prevents mirror vibrations which may blur the image during closeups or when a super telephoto lens is used.

CF Card Reminder This prevents shooting if there is no CF card in the camera. This can be set in all shooting modes. Using the Builtin Flash in the Creative Zone Regardless of the light level, you can press the. The camera's redestye reduction feature turns on the redestye reduction lamp to shine a gentle light into the subject's eyes to narrow the pupil diameter or iris. Get closer to the subject and repeat steps 2 to 4. Check that the. The horizontal axis indicates the brightness level darker on the left and brighter on the right, while the vertical axis indicates how many pixels exist for each brightness level. Display the image. Only protected images will not be erased. Once an image is erased, it cannot be recovered. Make sure you no longer need the image before erasing it. To prevent important images from being erased accidentally, protect them. Then it might work with the camera. Canon CP printer. Some settings might be disabled. For details, refer to your printer's instruction manual. Default With a Canon printer, the print will be borderless. The printing style settings are displayed. The image will also be cut off along all four edges. The printing style settings are displayed. Do the trimming right before printing. If you set the trimming and then set the print settings, you may have to set the trimming again. It is for images taken with a digital camera, and you can specify which photos and the quantity to print. Prints one image on one sheet. The order screen will appear. For standardtype prints, a quantity of one will be ordered for all the images. Note that after following the "Selecting Individual Images" procedure, if you do the "Selecting All Images". Recommended when it is bothersome to see it light up. The AF point will still light when you select it. C.Fn11 Menu button display position When you press the. While the button is pressed, AF operation with the camera is disabled.

2 AE lock while metering When the button is pressed while metering is still active, AE lock is applied. It covers information on camera features, system accessories, and other reference information. When focus is achieved, it is locked. With evaluative uSingle metering, the exposure shooting setting is also locked. The exposure setting is stored in memory before the shot is taken. The above conditions. Press the shutter button halfway. Err 99 An error other than the above has occurred. Remove and reinstall the battery. This error may occur if you use a nonCanon lens and the

camera or lens does not operate properly. Countermeasures. AC Adapter Kit ACKE2 Power source kit AC adapter, DC coupler, power cord for supplying power to the camera with a household power outlet. Compatible with AC 100 240 V. Compact Power Adapter CAPS400 Quick charger for BP511A. CF cards made by Canon are recommended. PC card adapter Enables a CF card to be inserted into a PC card slot or PC card reader. The cable with the ferrite core provided with the digital camera must be used with this equipment in order to comply with Class B limits in Subpart B of Part 15 of the FCC rules. Please check the box to consent to receiving electronic messages from Canon Canada Inc., which include relevant information about products, services and promotions. You may withdraw your consent at any time by selecting NO. Any pending input will be lost. Was this answer helpful. Please include additional comments below. Please try again. If you require assistance, please visit our. In this manual, users will be able to find out various information regarding to this amazing camera product. Many pothers related information regarding to the specification, operation, part details, and others are provided here in this Canon EOS20D Manual. Therefore, not only for the users, but this manual will also be beneficial for anyone else who want to know the better understanding to toward this Canon camera product.

Related article Canon EOS5DS R Manual User Guide Contents show 1 Introduction to Canon EOS20D Manual 1.1 Canon EOS20D Look and Specification 1.2 What People Think of Canon EOS20D 2 Canon EOS20D Manual Introduction to Canon EOS20D Manual Launched on August 2004, Canon EOS 20D comes with some promising specifications. This product is one of Canon DSLR cameras which is going to bring better features than its predecessors. With 8.2 megapixels sensor, EOS 20D offers moderate images result. It will allow you to take pictures with maximum resolution of 3504 x 2336. CMOS sensor and Digic 2 Canon Image Processor are claimed to give outstanding focus acceleration and the improvement result than the previous products. Read more about Canon Inc.As most Canon types, magnesium alloy is also used in this camera. In addition, you are able to use all additional lenses from Canon EOS series for this gadget. With very fast startup process just for about 10 seconds, you won't miss any precious moments bo be captured. To review your images, the 1.8 inches LCD screen is bundled to perform more than 118.000 pixels. Further, the special thing in EOS 20D is the internal flash, so you are able to take pictures even in the dark area. This DSLR is suitable to accompy your trips since it is made in very light weight 770 grams and 5.6 x 4.2 x 2.8 inches dimension. Related article Canon EOS5DS Manual User Guide The use of ISO 800, the noise will be unseen in every single images you take. DIGIC 2 Canon Image Processor is belied as the image processor of this product. To detect the wanted objects and available light, EOS 20D is bundled with ISO 100, 200, 400, 800, 1600, nd 3200. If you are willing to do direct printing from this camera, you can use many features such as Canon Card Photo Printers, Canon Buble Jet Printer, and PictBridge. By having those features, you don't have to input USB first whenever you want to print your capture.

What People Think of Canon EOS20D Before deciding to buy EOS 20D, you need to make a small research on how are the testimonies from the previous users. Here are some of them. Albert from Surabaya has stated on December 10, 2004 that the ISO 1600 reduces the noise, this gadget creates fast AF even on low light, and there is optional battery grip and support battery AA. The second testimony comes from Rendra on December 10, 2004 who said that EOS 20D has smaller and lighter body, best noise free DSLR, EFS compatible lens, and fast. Now everyone can get the experience with Canon EOS 20D since it is available in very reasonable price 1.499 USD. Get it and begin your journey with this camera. Canon EOS20D Manual The Canon EOS20D Manual is definitely will be useful for any users around the world. As stated before, there will be a lot of information to be taken. Not only in the matter of operational, but the information inside Canon EOS20D Manual also covers the functional parts of the camera. Therefore, for you who want to know more about this product, the Canon EOS20D Manual posted below will be the best reference. So, all you need to do is getting down below and click on the link for Canon EOS20D Manual. The manual below is in the form of

PDF file. The aim of choosing PDF is that PDF file is more simple and can be accessed in various kind of devices. So, for you who want to use this manual as a reference, we advice you to download one of PDF reader software such as Adobe reader. So, you can access the Canon EOS20D Manual below easily. Download EOS 20D Manual That's all of the information regarding to the Canon EOS20D Manual that we need to share. We will be happy if we know that this information is useful and informative. Therefore, whenever you have a thought about this product in general or about this articles, we welcome you to put your comment below. And if you really think this article is helpful, sharing it will be something appreciated.

By continuing to use this website, you agree to their use. Please consider supporting us by disabling your ad blocker. Refresh. EOS M and EOS R Full Frame mirrorless ranges deliver the power of DSLR in the body of a compact camera. Register your product and opt in for exclusive offers and discounts. This page requires Javascript. Modify your browsers settings to allow Javascript to execute. See your browsers documentation for specific instructions. To install your download click on the name of the downloaded file.

Recommended Software	File Name	Date	File Size	Optional
Software	File Name	Date	File Size	Recommended
Manuals	File Name	Date	File Size	Optional
Manuals	File Name	Date	File Size	The sole warranty, if any, with the respect to such nonCanon brand items is given by the manufacturer or producer thereof. This limited warranty covers all defects encountered in normal use of the Product, and does not apply in the following cases

If the problem cannot be corrected over the telephone, you will be asked to follow the applicable procedures for MAILIN SERVICE. Note that a dated proof of purchase is required at the time of service. MAILIN SERVICE is a program under which your Product is repaired by a Canon U.S.A. or a Canon Canada authorized service center for the Product. Authorized service center information can be obtained by visiting [www.canontechsupport.com](http://www.canontechsupport.com) US customers only or by contacting the Canon U.S.A., Customer Care Center or Canon Canada Customer Information Centre at 1800OKCANON 18006522666. You will be given the name, address and phone number of an authorized service center. It is your responsibility to properly package and send the defective Product, together with a copy of your dated proof of purchase, a complete explanation of the problem and a return address to the authorized service center at your expense. Do not include any other items with the defective Product.

The Product covered by this limited warranty and proven to be defective upon inspection will be repaired and returned to you without charge by the authorized service center. Any Product received by the authorized service center that is not covered by the limited warranty will be returned unrepaired, or at the discretion of the authorized service provider, you may receive a written estimate of repair at such cost as the service center may establish from time to time.

Scroll down to easily select items to add to your shopping cart for a faster, easier checkout. Visit the Canon Online Store It is designed to supply uninterrupted power for your camera. Kit includes the AC adapter, DC coupler and power cord.

Adapter EcC, EdC Holds 12 Cameras bodies, 34 lenses and accessories. Inside measurements W x H x D 10 x 14.75 x 5 inches. Rugged nylon, waterrepellent, urethane coated for extra durability. Wellarranged divider system for secure storage and easy access. Lightweight construction, padded shoulder straps and back for comfort. Front webbing ideal for storing a light jacket. Tripod carrying straps. Color Black with Olive. Front and Rear zippered pouches. Zippered fulllength mesh pouch inside top cover. Divider system for secure storage and easy access. It is designed to hold two 35mm SLR bodies, 5 8 lenses, plus film and accessories. It features a 3way pan head for precise control and smooth movement. The 3section tubular leg construction allows for exceptional stability indoors or out. The Deluxe Tripod 300 features a 3 way pan head for precise control while the 3 section tubular leg construction allows enhanced stability indoors and outdoors. Can hold your cameras, lenses, accessories and even a laptop computer. Durable, waterrepellent nylon exterior. Padded interior dividers and easyaccess storage pockets. The lens fits into the eyepiece holder of you EOS camera. Please see the Compatibility tab for a list of

compatible EOS cameras.

The lens fits into the eyepiece holder of you EOS camera. The lens fits into the eyepiece holder of you EOS camera. The lens fits into the eyepiece holder of you EOS camera. The lens fits into the eyepiece holder of you EOS camera. The lens fits into the eyepiece holder of you EOS camera. Requires Rubber Frame Ef, Eb or Ec The lens fits into the eyepiece holder of you EOS camera. Made from Cordura Nylon. Large Zippered Front Accessory Pocket. Zippered Mesh Pocket Inside Top Lid. Two Side Accessory Zippered Pockets. Tripod Loops on Bottom. Five Movable, Padded Internal Dividers. Two Strap Handles with Grip. Removable Shoulder Strap. Rubber Feet for Ground Protection. The cable connects to your camera and to the USB port on your PC or MAC Computer. Comes standard with the EOS 1Ds Mark III, 1D Mark IV, 1D Mark III, 1Ds Mark II, 1D Mark II N, 1D Mark II, 5D Mark II, 7D, 5D, 50D, 40D, 30D, 20D, 10D, Digital Rebel XTi, Digital Rebel XT and Digital Rebel. Please see Compatibility tab for compatible models. It magnifies the viewfinder image by approx. 1.2 times. This model is compatible with the EOS 7D Mark II, EOS 7D, EOS 70, EOS 60D, EOS 60Da, as well as with earlier crop sensor models. The magnifier may blur the image visible through the viewfinder and may make it more difficult to focus the camera manually. Please note, the image taken with the camera will not be affected by any of the above. It features a foam grip on the top leg section, a hand strap, flip lock leg sections, and rubber leg tip. Features adjustable tripod straps, and high strength buckles for the main compartment. The Canon logo is embroidered on the top flap. The Remote Switch works just like a shutter button, enabling halfway or complete pressing. This remote switch has a selftimer, interval timer, long exposure timer and exposurecount setting feature. The timer can be set from 1 second to 99 hours.

A new dial enables you to easily enter the numeric settings with a single thumb. Comes standard with the EOS 1Ds Mark III, 1D Mark IV, 1D Mark III, 1Ds Mark II, 1D Mark II N, 1D Mark II, 5D Mark II, 7D, 5D, 50D, 40D, 30D, 20D, 10D, Digital Rebel XTi, Digital Rebel XT and Digital Rebel. Please see Compatibility tab for compatible models. Id also get it here and here. In the USA, call 800 OKCANON from 10AM Midnight MF, 10AM 8PM Saturday, Eastern Time. Theyre closed Sundays. It also includes a lot of tips, tricks, and the settings I prefer to use. Right out of the box at default settings Making a great photo Explicit details follow in later pages linked at the bottom. You set that on the top dial. The cute I never use these preset scene modes and wont cover them. The 20D ignores all the other buttons except the shutter once it goes to sleep a minute after you ignore it. The only way to get the 20D to respond to other keys, like playback or MENU, is to tap the shutter button to wake it up. I dont bother turning it OFF, since it doesnt use the batteries while sleeping. I only turn it off if its going in a case where the shutter might get tapped unintentionally. Id much rather I explain how to set these on my Controls page, and I explain ISO sensitivity to light on my ISO page. See my White Balance Examples page and my White Balance page for why youd want to change them. Large is 3,504 x 2,336 pixels image I explain how to set these at Menus. The images still look great! Dont worry! It looks the same to me and takes up twice the file space. After changing the Saturation setting in the menu, if instead you press the shutter, MENU, INFO, JUMP or PLAY, the 20D ignores the change and you have to start over again! This clever mode automatically selects either of the two other focus modes. The other two focus modes are ONE SHOT, which means the 20D locks and holds the focus for you to compose still subjects, or AI Servo, which keeps the focus active to track moving subjects.

I explain how to set these on my Controls page. These modes are leftovers from before the invention of evaluative metering in 1985. I explain how to set these on my Controls page. I leave these set to the widest range. If your lens is taking too much time to hunt around and get focused, you might want to select a more restricted range, in which case the lens only looks at those ranges and will save itself from hunting. If you find it. Please do not offer the downloaded file for sell only use it for

personal usage. Looking for other manual For this no need registration. May be help you to repair. You could suffer a fatal electrical shock. Instead, contact your nearest service center. Note! To open downloaded files you need acrobat reader or similar pdf reader program. In addition, Also some files are djvu so you need djvu viewer to open them. These free programs can be found on this page needed progs If you use opera you have to disable opera turbo function to download file. If you cannot download this file, try it with CHROME or FIREFOX browser. Translate this page Relevant STILL CAMERA forum topics Canon Power Shot A450 Sziasztok! Canon Power shot A450 típusu fenykepezohoz keresek LCDt. Bontott is jo lenne. Elore is kosz. Canon PowerShot A75 nincs kep Sziasztok. Haver megkinalt egy ilyen egyebkent rossz, fenykepezogeppe. Minden megy, csak kep nem latszik a kijelzon. Menu mukodik, fenykepezne is, a nagy fekete semmit, vaku jo, zoom jo. Szerintem CCD gyanus, CK11102 lakozik benne szetszedtem. Velemenyek Beszerezhető ez valahol. Valakinek fiok melyen Kosz Csaba Canon PC 1169 leesett F18 hibakodot ir Hello! Ez t a kis keszuleket kivettem egeszen a Niagarához, hogy ott leejthessek es sikerult nekik. Meg volt szorulva az objektivez ezt szetszedtem kipiszkaltam a letort darabokat. Kimostam a mechanikus reszet, majd osszeraktam. ES igy kint 2Vrol meghajtva kitunoen mukodik. Ha osszerakom akkor elsonek elindul kitolja az obit, majd F18t ir ki.

Mi okozhat ilyet Nezttem hozza szervizkonyvet sajnos nem talaltam. Esetleg ebben tudnatok segiteni A targyban nevezett fenykepezogepbe elem illetve ceruza akku tehető, de akar mit tesznek bele nehany fotozas utan lemerult az akku indikator jelenik meg es kikapcsol. Mielott neki esnek meg kerdem a nagy erdemut h talalkozott e mar valaki hasonlo hibaval. Bar milyen informaciot szivesen veszek. Elore is koszonom mindenkinek a segito hozzaszolasokat. Udvozlettel Istvan78 Similar manuals You can write in English language into the forum not only in Hungarian. I heard there was one on a Canadian site but could not locate it. Each ball represents one of lifes concerns and the goal is to give each the appropriate amount of individual attention while simultaneously watching and guiding all the others. Life is about balance and staying quick and alert as everything threatens to spin out of control from Calvin and Hobbes by Bill Watterson RickNot bad but for those that already know everything probably not for you. Anyway way big better than Canon Manual. Book with or or without PDF CDRead our full review to see why its got the best autofocus system weve ever seen. 716 Olympus OMD EM10 Mark IV initial review first impressions Aug 4, 2020 at 0600 The Olympus OMD EM10 IV is the companys entrylevel DSLRshaped mirrorless camera. While it has a higher resolution sensor and new processor, its biggest focus is on selfies. 2257 Sony a7S III initial review Jul 28, 2020 at 1400 The Sony a7S III is a 12MP fullframe camera primarily designed with video in mind. We take a look beyond the specs to see what it offers to filmmakers. 1606 Olympus OMD EM1 Mark III review review Jul 27, 2020 at 1450 The Olympus OMD EM1 Mark III is our favorite Micro Four Thirds camera for stills shooters to date. In this roundup we take a look at four travel tripods and pick our favorite. In our latest buying guide weve selected some cameras that might be a bit older but still offer a lot of bang for the buck.

These midrange cameras should have capable autofocus systems, lots of direct controls and the latest sensors offering great image quality. Best cameras for sports and action Aug 11, 2020 at 0146 Whats the best camera for shooting sports and action. Fast continuous shooting, reliable autofocus and great battery life are just three of the most important factors. In this buying guide weve roundedup several great cameras for shooting sports and action, and recommended the best. Best enthusiast long zoom cameras Jul 16, 2020 at 2329 Longzoom compacts fill the gap between pocketable cameras and interchangeable lens models with expensive lenses, offering a great combination of lens reach and portability. Read on to learn about our favorite enthusiast long zoom cameras. EOS M og EOS Rserieerne af spejllose fullframekameraer leverer samme styrke som et digitalt spejlreflekskamera i et kompakt kamera. Register your product and opt in for exclusive offers and discounts Fa mere at vide om vores brug af cookies og rediger dine cookieindstillinger her. Du accepterer vores brug af cookies pa din enhed ved at fortstte med at bruge vores webside

eller ved at klikke på Jeg accepterer. Det tager 1 minut og vil hjælpe os med at forbedre vores supportwebsted. You must have JavaScript enabled in your browser to utilize the functionality of this website. Sell your camera today and get top market value. Shows moderate wear Glass may have slight Purchase an extra manual if you need more information about your cameras settings, features, or specifications. Learn more opens in a new window or tab This amount is subject to change until you make payment. For additional information, see the Global Shipping Programme terms and conditions opens in a new window or tab This amount is subject to change until you make payment. If you reside in an EU member state besides UK, import VAT on this purchase is not recoverable.

For additional information, see the Global Shipping Programme terms and conditions opens in a new window or tab Estimated delivery dates opens in a new window or tab include sellers dispatch time, and will depend on postal service selected. Delivery times may vary, especially during peak periods. Learn More opens in a new window or tab Learn More opens in a new window or tab Learn More opens in a new window or tab Learn More opens in a new window or tab Learn More opens in a new window or tab See the sellers listing for full details. You're covered by the eBay Money Back Guarantee if you receive an item that is not as described in the listing. Find out more about your rights as a buyer opens in a new window or tab and exceptions opens in a new window or tab. Contact the seller opens in a new window or tab and request a postage method to your location. Please enter a valid postcode. Please enter a number less than or equal to 19. We may receive commission if your application for credit is successful. Terms and conditions apply. Subject to credit approval. We may receive commission if your application for credit is successful. All Rights Reserved. User Agreement, Privacy, Cookies and AdChoice Norton Secured powered by Verisign. Finished book size is A5 148 x 210mm. 172 pages long. Our reprints are high quality, printed on 80gsm superwhite Canon paper on a Canon office copier. The pages are then spiral bound with a clear acetate front cover and red card back cover, held together with a strong white wire. Your manual will lay flat when open and will last for as long as your camera, with a little bit of care. Manuals over 400 pages long may be supplied as more than one book. These documentations are only intended for qualified technicians who are aware of the respective safety regulations. Products names, logos, brands and other trademarks are the property of their respective trademark holders in the USA and other countries.